

13.0 REFERENCES

- Accurso, L.M. 1992. Distribution and Abundance of Wintering Waterfowl on San Francisco Bay. Unpublished M.S. thesis, Humboldt State University, Arcata, CA.
- Ainley, D. 2000. Brown Pelican. Pp. 322-323 *in* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Albertson, J. and J. Evens. 2000. California Clapper Rail. Pp. 332-341 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- American Bird Conservancy. 2003. Globally Important Bird Areas in California. <http://www.abcbirds.org/iba/california.htm> (1 October 2003).
- American Ornithologists' Union. 1998. Check-list of North American Birds, seventh ed. American Ornithologists' Union, Washington, D.C.
- Anatec Lab (1981). Infaunal, fish and macroinvertebrate survey in the Hudman Slough-Sonoma Creek Watercourse. Santa Rosa, Anatec Laboratories. Lab, K. (1983). South Bay dischargers authority water quality monitoring program. San Jose, South Bay Dichargers Authority.
- Anderson, W. 1970. A preliminary study of the relationship of salt ponds to wildlife in south San Francisco Bay. Calif. Fish and Game 56:240-252.
- Bailey, E.H., and D.L. Everhart. 1964. Geology and Quicksilver Deposits of the New Almaden District Santa Clara County California. U.S. Geological Survey Professional Paper 360.
- Baxter, R., Hieb, K., DeLeon, S., Fleming, K. and Orsi, J. 1999. Report on the 1980-1995 Fish, Shrimp, and Crab Sampling in the San Francisco Estuary, California. Edited by J. Orsi, California Department of Fish and Game, Stockton, CA for The Interagency Ecological Program for the Sacramento-San Joaquin Estuary.
- Bay Area Air Quality Management District (BAAQMD). 1996. BAAQMD CEQA Guidelines. Revised December 1999.
- Bay Area Air Quality Management District, Data Display System Internet Air Quality Data Summaries 1997a, 1998, 1999, 2000, <http://gate1.baaqmd.gov/aqmet/aq.aspx>
- Baylosis, J.I. et al. 1997. Studies of the San Francisco Bay, California Estuary Ecosystem: Pilot Regional Monitoring Results, 1996: U.S. Geological Survey Open File Report 97-598, 203pp.

- Beedy, E.C. and W.J. Hamilton III. 1999. Tricolored Blackbird (*Agelaius tricolor*). In *The Birds of North America*, No. 423 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Bohart, R.M. and R.K. Washino. 1978. *Mosquitoes of California*. 3rd ed. Berkeley: University of California, Division of Agricultural Sciences.
- California Air Resources Board, Air Quality Trend Summaries, 2001a, 2001b, <http://www.arb.ca.gov/adam/cgi-bin/db2www/polltrends.d2w/Branch>
- California Department of Fish and Game. Unpublished database file.
- California Department of Fish and Game. *California's Living Marine Resources: A Status Report*. December 2001
- California Department of Fish and Game (CDFG). 1988. Selenium Verification Study. 1986-1987. Sacramento, California.
- California Department of Fish and Game (CDFG). 1989. Selenium Verification Study. 1987-1988. Sacramento, California.
- California Department of Fish and Game (CDFG). 1995. Staff Report on Burrowing Owl Mitigation. Environmental Services Division, Sacramento. October 17, 1995.
- California Department of Fish and Game (CDFG). 2001. *Rarefind2: California Natural Diversity Database (CNDDDB)*. Natural Heritage Division. Sacramento, CA.
- California Department of Fish and Game (CDFG). *California's Living Marine Resources: A Status Report*. December.
- California Native Plant Society (CNPS). 2001. Electronic Inventory of Rare and Endangered Vascular Plants of California, Version 6.
- California Native Plant Society. 2002. Inventory of Rare and Endangered Plants of California (sixth edition). California Native Plant Society, Sacramento.
- California Natural Diversity Data Base (CNDDDB). 2003. Special-status species occurrences for the San Leandro, Newark, Mountain View, and Redwood Point 7.5-minute USGS quadrangles. Calif. Dept. of Fish and Game, Natural Heritage Division, Sacramento.
- California State Coastal Conservancy (Conservancy) and U.S. Fish and Wildlife Service (USFWS). 2003. Final Programmatic Environmental Impact Statement/ Environmental Impact Report, San Francisco Estuary Invasive Spartina Project: *Spartina Control Program*. SCH#2001042058. Sacramento, California.
- California State Coastal Conservancy and the U.S. Fish and Wildlife Service. 2003. San Francisco Estuary Invasive Spartina Project: *Spartina Control Program Final Programmatic EIS/EIR*.
- Callaway, J.C., and M.N. Josselyn. 1992. The introduction and spread of *Spartina alterniflora* in south San Francisco Bay. *Estuaries* 15(2): 218-226.
- Campbell, B. and T. Cannon. 1998. Results of the habitat survey on lower Coyote Creek. Jones and Stokes Associates, Inc.

- Carlton, J.T. 1979. Introduced invertebrates of San Francisco. Pp. 427-444 in T.J. Conomos (ed.), *San Francisco Bay: the urbanized estuary*. San Francisco: Pacific Division of the American Association for the Advancement of Sciences.
- Center for Biological Diversity, Defenders of Wildlife, California State Parks Association, Santa Clara Valley Audubon Society, San Bernardino Valley Audubon Society, and Tri-County Conservation League. 2003. Petition to the State of California Fish and Game Commission and Supporting Information for Listing the California Population of the Western Burrowing Owl (*Athene cunicularia hyugaea*) as an Endangered or Threatened Species Under the California Endangered Species Act. Unpublished Petition.
- Cheng, R.T., et al. 1993. Tidal residual intertidal mudflat (TRIM) model and its applications to San Francisco Bay, California. *Estuarine, Coastal and Shelf Science*, 36, 235-280.
- Cheng, R.T. and Gartner, J.W., 1984. Harmonic analysis of tides and tidal currents in South San Francisco Bay, California. Results of measurements 1979-1980. Open-File Report 84-4339, U.S. Geological Survey, Menlo Park, CA, 1984.
- Cogswell, H.L. 2000a. Song Sparrow. Pp. 374-385 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Cogswell, H.L. 2000b. The use of salt ponds by some selected birds other than shorebirds and waterfowl. Pp. 390-402 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Cogswell, H.L. 2000c. Eared Grebe. Pp. 317-320 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Collins, C., and K. Garrett. 1996. The Black Skimmer in California: an Overview. *Western Birds* 27: 127-135.
- Collins, J and V. Resh. 1989. *Guidelines for the ecological control of mosquitoes in non-tidal wetlands of the San Francisco Bay area*. Elk Grove, CA: California Mosquito and Vector Control Association and University of California Mosquito Research Program.
- Colwell, M.A. and J.R. Jehl. 1994. Wilson's phalarope (*Phalaropus tricolor*). *In* The Birds of North America, No. 83 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.

- Conomos, T. J., R.E.Smith, et al. (1979). Water Properties. San Francisco Bay: The Urbanized Estuary. T. J. Conomos. San Francisco, Pacific Division, American Association for the Advancement of Science. 1: 493.
- Cressey, S. (1997). Benthos and Fisheries Assessment Palo Alto Wastewater Treatment Plant Discharge Channel. Davis, CA, Larry Walker Associates
- Cutter, G.A., and M.L.C. San Diego-McGlone. 1990. Temporal Variability of Selenium Fluxes in San Francisco Bay. *Sci. Tot. Environ.* 97/98: 235-250.
- Davis, J.A., et al. 2000. Contaminant loads from stormwater to coastal waters in the San Francisco Bay region: Comparison of other pathways and recommended approach for future evaluation, SFEI Draft Report.
- Denton, R.A. and Hunt, J.R., 1986. Currents in San Francisco Bay - Final Report. Prepared for the State Water Resources Control Board. Publication No. 86-7sp.
- Dewey, O.L., "Monty". 1989. Drawbridge, California: A Hand-Me-Down History. San Francisco Bay Wildlife Society. Publication #2.
- Dunn, J. and K. Garrett. 1997. A Field Guide to the Warblers of North America. Houghton Mifflin Co., Boston, MA.
- DWR. 1997. Aquatic Macroinvertebrate Recovery Assessment in the Upper Sacramento River: 1991-1996. Department of Water Resources, Northern District, the Resources Agency, State of California. 91pp.
- Edmunds, J.L., et al., 1995, Studies of the San Francisco Bay, California, Estuarine Ecosystem. Pilot Regional Monitoring Program Results, 1994: U.S. Geological Survey Open-File Report 95-378, 436 p.
- Feeney, L. 2000. California Least Tern. Pp. 359-362 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Friend, M. and J.C. Franson. 1999. Field Manual of Wildlife Diseases: General Field Procedures and Diseases of Birds. U.S. Dept. of the Interior, Biological Resources Division Information and Technology Report 1999-001.
- Gill, Jr., R. 1979. Status and distribution of the California clapper rail (*Rallus longirostris obsoletus*). *Calif. Fish and Game* 65:36-49.
- Gill, R. 1979. Status and distribution of the California clapper rail (*Rallus longirostris obsoletus*). *Calif. Fish and Game* 65:36-49.
- Goals Project (San Francisco Bay Area Wetlands Ecosystem Goals Project). 1999. *Baylands ecosystem habitat goals*. A report of habitat recommendations prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco and Oakland, CA: U.S. Environmental Protection Agency and San Francisco Bay Regional Water Quality Control Board.

- Goals Project (San Francisco Bay Area Wetlands Ecosystem Goals Project). 2000. *Baylands ecosystem species and community profiles: life histories and environmental requirements for key plants, fish, and wildlife*. Oakland, CA: San Francisco Bay Regional Water Quality Control Board.
- Goals Project. 1999. Baylands Ecosystem Habitat Goals. A report of habitat recommendations prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. U.S. Environmental Protection Agency, San Francisco, Calif./San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish, and wildlife (P.R. Olofson, ed.). Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Goodwin, P. 1996. Predicting the stability of tidal inlets for wetland and estuary management. *Journal of Coastal Research*, 81(23): 83-101.
- Granholt, S.L. 1989. Seasonal Wetlands in San Francisco and San Pablo Bays Current Status, Projected Losses, and Cumulative Losses Since 1975. Pp. 7-43 *In* Endangered Habitat: A Report on the Status of Seasonal Wetlands in San Francisco Bay and a Recommended Plan for their Protection. National Audubon Society.
- Grinnell, J. and A. Miller. 1944. The Distribution of the Birds of California. Pacific Coast Avifauna 27.
- Gross, E.S., et al. 1999b. Three-dimensional salinity simulations of South San Francisco Bay. *Journal of Hydraulic Engineering* 125 (11): 1199-1209.
- Gunther, A., J. Hagar, and P. Salop. 2000. An assessment of the potential for restoring a viable steelhead trout population in the Alameda Creek watershed, prepared for the Alameda Creek Fisheries Restoration Workgroup, Fremont, CA.
- Gustafson, Angie and Carrie Gregory. 2001. Historic Resource Evaluation Report for Western Salt Company Works, San Diego County, Chula Vista, California. Prepared by EDAW, San Diego. Prepared for Caltrans, District 11 and Tierra Environmental Services, San Diego.
- H.T. Harvey and Associates. 2001. South Bay Tidal Marsh Studies Technical Discussion. December.
- H.T. Harvey and Associates. 2002. South San Francisco Bay Marsh Ecology: Tidal and Edaphic Characteristics Affecting Marsh Vegetation – Year 2. January.
- Habitat Restoration Group. 1994. Spreader (summer) dams fisheries study 1993 annual report. Summary of field work, November 1992 through October 1993 and four year summary 1989-1993. Project No. 511-03/04.
- Habitat Restoration Group. 1995. Spreader dams fisheries study 1994 annual report. Summary of field work, November 1993 through October 1995 and five-year project summary 1989-1994. Project No. 59208 113.
- Hansen, S. R. Unpublished database file.

- Hansen, S. R. (2003e). Evaluation of the potential for reductions in dissolved oxygen associated with circulation of saline pond water during the initial stewardship period, S.R. Hansen & Associates: 42.
- Hanson, J.T. 2000. Wilson's Phalarope. Pp. 306-309 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish, and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Harrington, B. and E. Perry. 1995. Important shorebird staging sites meeting Western Hemisphere Shorebird Reserve Network criteria in the United States. Manomet Center for Conservation Sciences, Manomet, Mass.
- Hart, J.D. *A Companion to California*. Oxford University Press, New York.
- Harvey, H.T. & Associates. 2002. South San Francisco Bay Marsh Ecology: Tidal and Edaphic Characteristics Affecting Marsh Vegetation – Year 2.
- Harvey, T.E., K.J. Miller, R.L. Hothem, M.J. Rauzon, G.W. Page, and R.A. Keck. 1992. Status and trends report on wildlife of the San Francisco Estuary. U.S. Fish and Wildlife Service, Sacramento, CA.
- Harvey, T.E., R.W. Lowe, and D. Fearn. 1988. The value of salt ponds for waterbirds in San Francisco Bay and considerations for future management. National Wetland Symposium, June 26-28, 1988, Assoc. of State Wetland Managers, Oakland, CA.
- Hopkins, S.H. 1973. Annotated Bibliography on Effects of Salinity and Salinity Changes on Life in Coastal Waters. U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi. 411pp.
- Hopkins, D.R. 1986. Atlas of the distributions and abundance of common benthic species in San Francisco Bay, California. USGS Water Resources Investigations Report 86-4003.
- Hsueh, N. 1999. Santa Clara Valley Water District: Lower Coyote Creek flood control project reaches 1 through 3. Report of mitigation and monitoring programs 1996 to 1998 (Dixon Landing Road to Montague Expressway, cities of San Jose and Milpitas, CA). SCVWD Project No. 402111.
- Hsueh, N. 2000. Santa Clara Valley Water District: Lower Coyote Creek flood control project reaches 1 through 3. Standish Dam Monitoring Report 1999. (Dixon Landing Road to Montague Expressway, cities of San Jose and Milpitas, CA). SCVWD Project No. 402111.
- Huzzey, L.M., Cloern, J.E., and Powell, T.M., 1990. Episodic changes in lateral transport and phytoplankton distribution in South San Francisco Bay: *Limnology and Oceanography*, 35: 472-478.
- Isola, C.R., M.A. Colwell, O.W. Taft, and R.J. Safran. 2000. Interspecific differences in habitat use of shorebirds and waterfowl foraging in managed wetlands of California's San Joaquin Valley. *Waterbirds* 23:196-203.

- Jehl, J.R., Jr. 1988. Biology of eared grebe and Wilson's phalarope in the nonbreeding season: a study of adaptations to saline lakes. *Stud. Avian Biol.* 12:1-74.
- Jones & Stokes Associates. 1995. *Environmental impact report and environmental impact statement for the Delta Wetlands Project*. Draft. September. (JSA 87-119.) Prepared for Collins Board, Division of Water Rights, and U.S. Army Corps of Engineers, Sacramento District, Sacramento, CA.
- Jones & Stokes. 2001. Inventory of existing conditions at potential mitigation sites for San Francisco International Airport's proposed runway reconfiguration program. August. (J&S 00-114). Sacramento, California. Prepared for San Francisco International Airport, San Francisco, California.
- Jones & Stokes. 2003. Napa River Salt Marsh Restoration Project Draft Environmental Impact Report/Environmental Impact Statement. April. Sacramento, California. Prepared for California State Conservancy, U.S. Army Corps of Engineers, California Department of Fish and Game.
- Kamman Hydrology, 2000. Technical Memorandum: Tidal Exchange Analysis of Tidal Channel Geometry Cargill-Eden Landing Ecological Preserve, Hayward, California.
- Kays, R. and D. Wilson. 2002. *Mammals of North America*. Princeton University Press, Princeton, NJ.
- Kinne, O. (1964). "The Effects of Temperature and Salinity on Marine and Brackish Water Animals." *Oceanogr. Mar. Biol. Ann. Rev.* 2: 281-339.
- Kinnetic Laboratories. 1987. South Bay Dischargers Authority Water Quality Monitoring Program: Final Monitoring Report, December 1981-November 1986. Prepared for South Bay Dischargers Authority, San Jose, California.
- Kinnetic Laboratories, Inc. 1983. NPDES Receiving Water Monitoring Program for East Bay Discharges Authority. 1983. Annual Report. KLI-R-84-3.
- Kinnetic Lab & Larry Walker (Joint Venture). 1986. First Year Technical Report (Dec. 1981-1982), South Bay Dischargers Authority Water Quality Monitoring Program.
- Klapow, L. A. and R. H. Lewis (1979). "Analysis of toxicity data for California marine water quality standards." *J. Water Pollut Control Fed* 51: 2054-2070.
- Kurlansky, Mark. 2002. *Salt: A World History*. Walker Publishing Co.
- Larsson, B.C. 2000. Invertebrates: Franciscan Brine Shrimp. Pp. 151-152 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish, and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Layne, V., R. Richmond, and P. Metropulos. 1996. First nesting of black skimmer on the San Francisco Bay. *Western Birds* 27:159-162.

- Leidy, R. A. 2000. Steelhead *Oncorhynchus mykiss irideus*. In *Baylands ecosystem species and community profiles: life histories and environmental requirements of key plant, fish, and wildlife*, P. R. Olofson, ed. Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project, San Francisco Bay Regional Water Quality Control Board, Oakland, California.
- Levin, L.A., Talley, D., Thayer, G. 1996. Succession of Macrobenthos in a Created Salt Marsh. *Marine Ecology Progress Series* 141:67-82.
- Levy, Richard. 1978. Costanoan. In *Handbook of North American Indians, Volume 8: California*, pp. 485-495. Washington, D.C.: Smithsonian Institution.
- LFR Levine- Fricke. 2002. Selenium Loads to South San Francisco Bay, California. Prepared for Regional Water Quality Control Board-San Francisco Bay Region. November.
- Life Science! 2003. South Bay Salt Ponds Initial Stewardship Plan. June. Woodland, California
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. "Incidence of Adverse Biological Effects within Ranges of Chemical Concentrations in Marine and Estuarine Sediments." *Environmental Management*. Vol. 19, No. 1. pp. 81-97.
- Lonzarich, D.G. 1989. Temporal and Spatial Variations in Salt Pond Environments and Implications for fish and Invertebrates. Masters Thesis, Department of Biological Sciences, San Jose State University.
- Lonzarich, D.J. 1989. Temporal and Spatial Variations in Salt Pond Environments and Implications for Fish and Invertebrates. Unpublished M.S. thesis, San Jose State University, CA.
- Luoma, S., C. Johns, N. Fisher, N. Steinberg, R. Oremland, and J. Reinfelder. 1992. Determination of Selenium Bioavailability to a Benthic Bivalve from Particulate and Solute Pathways. *Environ Sci. Technol.* 26: 485-491.
- Luoma, S.N., A. van Geen, B.G. Lee and J.E. Cloren. 1998. Metal uptake in phytoplankton during a bloom in South San Francisco Bay: Implications for metal cycling in estuaries. *Limnology and Oceanography* 43: 1007-1016.
- McCulloch, D.S., D.H. Peterson, P.R. Carlson, and Conomos, T.J., 1970. A Preliminary Study of the Effects of Water Circulation in the San Francisco Bay Estuary – Some Effects of Fresh-Water Inflow on the Flushing of South San Francisco Bay. U.S. Geological Survey Circulation 637-A.
- MacWhiter, R., and K. Bildstein. 1996. Northern Harrier (*Circus cyaneus*). In *The Birds of North America*, No. 210 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.

- Maffei, W.A. 2000a. Invertebrates: Reticulate Water Boatman. Pp. 154-156 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Maffei, W.A. 2000b. Invertebrates: Brine flies. Pp. 179-182 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Marriott, M. and C. Schelin. 2002. Pacific Coast Western Snowy Plover Monitoring Program at the Don Edwards San Francisco Bay National Wildlife Refuge, the Eden Landing Ecological Reserve, and selected Cargill Salt Division Properties, Year 2001. Unpubl. report, Don Edwards San Francisco Bay NWR, Newark, CA.
- Martens, D.A., and D.L. Suarez. 1997. Selenium Speciation of Marine Shales, Alluvial Soils, and Evaporation Basin Soils of California. *J. Environ. Qual.* 26: 424-432.
- Moratto, M. J. 1984. *California Archaeology*, pp. 167-216. San Diego, CA: Academic Press, Inc.
- Moyle, P.B. and J.J. Cech. 1982. *Fishes: An introduction to ichthyology*. Englewood Cliffs, NJ: Prentice-Hall, Inc.
- National Oceanic and Atmospheric Administration (NOAA)/California Department of Fish and Game, Office of Spill Protection and Response (CDFG-OSPR). 1998. San Francisco Bay Environmental Sensitivity Index. Maps 22-27.
- National Oceanic and Atmospheric Administration, Chart Number 18651- *San Francisco Bay – Southern Part, Redwood Creek, Oyster Point*; 42nd Edition, Washington, D.C., 2/2003;
- Nichols, F. H. and J. K. Thompson (1985). Time scales of change in the San Francisco Bay benthos. *Temporal Dynamics of an Estuary: San Francisco Bay*. F. H. N. J.D. Cloern. Boston, *Hydrobiologia*. 129: 121-138.
- Nichols, F. H., J. K. Thompson, et al. (1990). “Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam *Potamocorbula amurensis*. II Displacement of a former community.” *Marine Ecology Progress Series* 66: 95-101.
- Nichols, F.H., Thompson, J.K. 1985a. Time scales of change in the San Francisco Bay benthos. *Hydrobiologia* 129: 121-128.
- Nichols, F.H., Thompson, J.K. 1985b. Persistence of an introduced mudflat community in South San Francisco Bay, California. *Marine Ecology – Progress Series* 24: 83-97.
- NOAA, Tidal Differences and Other Constants, January 23, 2003 <<http://www.co-ops.nos.noaa.gov/>> .

- Nolte and Associates. 1987. San Francisco Bay Shoreline Study, Interim II Report on Historical Flooding. September
- Ogle, R.S., K.J. Maier, P. Kiffney, M.J. Williams, A. Brasher, L.A. Melton, and A.W. Knight. 1988. Bioaccumulation of Selenium in Aquatic Ecosystems. *Lake and Reserv. Manage.* 4(2): 165-173.
- Ohlendorf, H.M, Hothem, R.L., Bunck, C.M. and K.C. Marois. 1990. Bioaccumulation of Selenium in Birds at Kesterson Reservoir, California. *Arch. Environ. Contam. Toxicol.* 19: 495-507.
- Oremland, R.S. 1994. Biogeochemical Transformations of Selenium in Anoxic Environments. In: *Selenium in the Environment*, eds W.T. Frankenberger, Jr. and S. Benson. Marcel Dekker, Inc. New York.
- Pacific Gas & Electric Co. (PG&E). 1980. Potrero Power Plant cooling water intake structures 316 (b) demonstration. Prepared for Pacific Gas & Electric Co. by Ecological Analysts, Inc. January 1980.
- Pacific Gas & Electric Co. (PG&E). 1982. Hunters Point Power Plant cooling water intake structures 316 (b) demonstration. Prepared for Pacific Gas & Electric Co. by Ecological Analysts, Inc.
- Page, G. 2001. Preliminary findings from Shorebird Use of South San Francisco Bay Salt Pond Study. Unpublished information prepared for 7/26/01 Salton Sea Meeting.
- Page, G., C. Hickey, and L. Stenzel. 2000. Western Snowy Plover. Pp. 281-284 *In* Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Page, G., J.S. Warriner, J.C. Warriner, and P. Paton. 1995. Snowy Plover (*Charadrius alexandrinus*). *In* The Birds of North America, No. 210 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Primo, C., C. David, et al. (2001). Near field receiving water monitoring of trace metals in clams (*Macoma balthica*) and sediments near the Palo Alto water quality control plant in South San Francisco Bay: 1999-2001. Palo Alto, CA, US Geological Survey. Open File 02-453.
- Remsen, J.V., Jr. 1978. Bird Species of Special Concern in California. Calif. Dept. of Fish and Game, Sacramento.
- Remsen, J.V., Jr. 1978. *Bird species of special concern in California: an annotated list of declining or vulnerable bird species.* (Wildlife Management Branch Administrative Report No. 78-1.) Sacramento, CA: California Department of Fish and Game, Nongame Wildlife Investigations.
- Resource Management International, Inc. 1999. Final Eden Landing Ecological Reserve (Baumberg Tract) Restoration and Management Plan

- RMP 1997. San Francisco Estuary Regional Monitoring Program for Toxic Substances: 1997 Annual Report. San Francisco Estuary Institute, Richmond, California.
- RMP 1999. San Francisco Estuary Regional Monitoring Program for Toxic Substances: 1999 Annual Report. San Francisco Estuary Institute, Richmond, California.
- RMP 2000a. San Francisco Estuary Regional Monitoring Program for Toxic Substances: 2000 Annual Report. San Francisco Estuary Institute, Richmond, California.
- RMP 2000b. San Francisco Estuary Regional Monitoring Program for Toxic Substances: 2000 Annual Report. San Francisco Estuary Institute, Richmond, California.
- Rocke, T. and M. Samuel. 1999. Water and sediment characteristics associated with avian botulism outbreaks in wetlands. *Journal of Wildlife Management* 63:1249-1260.
- Ryan, T. 2000a. The Species Composition, Abundance and Distribution of Wildlife at Ponds A4, A5, and A8, Alviso, California: With Notes on the Status of Listed Species. Unpublished report prepared for the Santa Clara Valley Water District.
- Ryan, T. 2000c. Forster's Tern. Pp. 351-355 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Ryan, T. 2000d. Caspian Tern. Pp. 355-359 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Ryan, T.P. 2000b. California Gull. Pp. 349-351 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Sacramento-Yolo Mosquito Abatement and Vector Control District. 1990. Technician's Manual. Sacramento, CA.
- San Francisco Bay Area Wetlands Ecosystem Goals Project (Goals Project). 1999. Baylands Ecosystem Habitat Goals: A Report of Habitat Recommendations. Monroe et al., ed.
- San Francisco Bay Area Wetlands Ecosystem Goals Project (Goals Project). 2000. Baylands Ecosystem Species and Community Profiles: Life Histories and Environmental Requirements for Key Plants, Fish, and Wildlife.
- San Francisco Bay Conservation and Development Commission (BCDC). 1994. Draft Environmental Assessment: Cargill Salt Maintenance Activities, Permit Application No. 4-93 SCH# 94023031

- San Francisco Bay Conservation and Development Commission (BCDC); *The San Francisco Bay Plan*; San Francisco Bay Conservation and Development Commission, San Francisco, CA, as amended through June 2003.
- San Francisco Bay Regional Water Quality Control Board (RWQCB). 1992. Sediment Screening Criteria and Testing Requirements for Wetland Creation and Upland Beneficial Reuse. Interim Final. December.
- San Francisco Bay Regional Water Quality Control Board (RWQCB). 1995. Water Quality Control Plan for the San Francisco Bay Basin (Region 2). California Regional Water Quality Control Board, San Francisco Region, Oakland, California.
- San Francisco Regional Water Quality Control Board. 1997. Selenium in the Bay Environment – An Overview of the Environmental Concerns, Regulatory History, and Current Status. Regional Board Member Issue Briefing Paper No. 1. May 21.
- San Francisco Bay Regional Water Quality Control Board (RWQCB). 1998. Ambient Concentrations of Toxic Chemicals in San Francisco Bay Sediments. May.
- San Francisco Bay Regional Water Quality Control Board (RWQCB). 1999. Draft Staff Report. Beneficial Rinse of Dredged Materials: Sediment Screening and Testing Guidelines. May 2000
- San Francisco Estuary Institute, 1999. Pulse of the Estuary, San Francisco, California. 2001. (PDF file from sfei.org/sfeireports.htm)
- San Francisco Estuary Institute, *Pulse of the Estuary: Monitoring and Managing Contamination in the San Francisco Estuary*; San Francisco, CA, 2000
- San Francisco Estuary Institute (SFEI). 2000. 1998 Estuary Interface Pilot Study. Progress Report. November.
- San Francisco Estuary Project (SFEP) 1992. State of the Estuary. A Report on Conditions and Problems in the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. June.
- San Francisco Estuary Project (SFEP). The Effects of Land Use Change and Intensification on the San Francisco Estuary.
- San Jose Mercury News, September 9, 2002.
- Sawyer, J. and T. Keeler-Wolf. 1995. A Manual of California Vegetation. California Native Plant Society, Sacramento.
- Schaaf and Wheeler. 2003. Alviso Island Pond Breach Initial Stewardship Plan Study (Island Pond Study). September.
- Schemel, L.E. 1998. Salinity and temperature in South San Francisco Bay, California, at Dumbarton Bridge: Measurements from the 1995-1998 Water Years and comparisons with results from the 1990-1993 Water Years. Open-File Report 98-650, U. S. Geological Survey, Menlo Park, CA.

- Siegel, S.W. and P.A.M. Bachand. 2002. Ecological Restoration of Salt Ponds, South San Francisco Bay, California—A Feasibility Analysis. Wetlands and Water Resources, San Rafael, California. March.
- Shellhammer, H. 2000a. Salt Marsh Wandering Shrew. Pp. 231-233 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Shellhammer, H. 2000b. Salt Marsh Harvest Mouse. Pp. 219-228 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Shields, M. 2002. Brown Pelican (*Pelecanus occidentalis*). *In* The Birds of North America, No. 210 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Shuford, D. and T. Ryan. 2000. Nesting populations of California and Ring-billed Gulls in California: recent surveys and historical status. *Western Birds* 31:133-164.
- Siegel, S.W. and P.A.M. Bachand. 2002. Ecological Restoration of Salt Ponds, South San Francisco Bay, California—A Feasibility Analysis. Wetlands and Water Resources, San Rafael, California. March.
- Simenstad, C.A., Thom, R.M. 1996. Functional Equivalency Trajectories of the Restored Gog-Le-Hi-Te Estuarine Wetland. *Ecological Applications* 6(1): 38-56.
- Simons, R. 2000. Stratification and suspended solids patterns in an artificially forced salt-marsh channel, Coyote Creek, South San Francisco Bay, California. Unpublished report, Stanford University, Stanford, CA.
- Skinner, J.E. 1962. An historical review of the fish and wildlife resources of the San Francisco Bay area. Calif. Dep. Fish Game, Water Projects Branch, Rept. 1
- Smith, E. H. (1977). Final report on the South Bay Discharges Authority wastewater disposal project, benthic survey and water quality sampling program. San Francisco, CA, U. S. Environmental Protection Agency, Region 9: 73.
- Sprague, J. B. (1985). Factors that modify toxicity. *Fundamentals of Aquatic Toxicology*. a. S. R. P. G.M. Rand. New York, Hemisphere Publishing Corp.: 124-163.
- State Water Resources Control Board (SWRCB). 1988. California State Mussel Watch 10 Year Data Summary 1977-1987. Water Quality Monitoring Report No. 87-3. Division of Water Quality. Sacramento, CA.
- Stenzel, L.E. and G.W. Page. 1988. Results of the first comprehensive shorebird census of San Francisco and San Pablo bays. *Wader Study Group Bulletin* 54:43-48.
- Stenzel, L.E., C.M. Hickey, J.E. Kjelson, and G.W. Page. 2002. Abundance and distribution of shorebirds in the San Francisco Bay Area. *Western Birds* 33:69-98.

- Stralberg, D., N. Warnock, N. Nur, H. Spautz, and G. Page. 2003. Predicting the effects of habitat change on South San Francisco Bay bird communities: An analysis of bird-habitat relationships and evaluation of potential restoration scenarios, Habitat Conversion Model, Phase One. Final report to California Coastal Conservancy, September 2003. PRBO Conservation Science, Stinson Beach, CA.
- Strong, C.M., et al. 2003. Forster's and Caspian tern colonies in the San Francisco Bay: population sizes and trends, 1982-2003. Report to the USFWS, Portland, Oregon. November, 2003.
- Swarth, C.W., C. Akagi, and P. Metropulos. 1982. The distribution patterns and ecology of waterbirds using the Coyote Hills salt ponds. U.S. Fish and Wildlife Serv., Don Edwards San Francisco Bay Natl. Wildlife Ref., Newark, CA.
- Takekawa, J. 1992. Decline of the California clapper rail: on behalf of an endangered species. Point Reyes Bird Observatory Newsletter, Fall 2002:4-5.
- Takekawa, J. 1992. Decline of the California clapper rail: on behalf of an endangered species. Point Reyes Bird Observatory Newsletter, Fall: 4-5.
- Takekawa, J.Y., G.W. Page, J.M. Alexander, and D.R. Becker. 2000. Waterfowl and Shorebirds of the San Francisco Bay Estuary. Pp. 309-316 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Thompson, B., J. Jackson, J. Burger, L. Hill, E. Kirsch, and J. Atwood. 1997. Least Tern (*Sterna antillarum*). *In* The Birds of North America, No. 210 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Trulio, L. 2000. Western Burrowing Owl. Pp. 362-365 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Trulio, L. and J. Evens. 2000. California Black Rail. Pp. 341-345 *In* Goals Project 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife (P.R. Olofson, ed.). Prepared by San Francisco Bay Area Wetlands Ecosystem Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- U.S. Army Corps of Engineers (Corps), San Francisco District. 1992. San Francisco Bay Shoreline Study, April 1992.
- U.S. Army Corps of Engineers (Corps). 1988. Southern Alameda and Santa Clara Counties San Francisco Bay Shoreline Study. October.

- U.S. Environmental Protection Agency (USEPA) and S.F. Bay Regional Water Quality Control Board (RWQCB). 1999. Baylands Ecosystem habitat Goals. A report of habitat recommendations prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project., Oakland, California. (Note: Referenced as “Goals Project 1999”)
- URS Corporation. 2001. *Proposed SFO runway reconfiguration program biology technical report*. June 15. Prepared for the City and County of San Francisco Planning Dept and Federal Aviation Administration, Burlingame, CA. Oakland, CA.
- USGS, Monthly Streamflow Statistics for California, July, 1996.
http://waterdata.usgs.gov/ca/nwis/monthly/?site_no=11179000&agency_cd=USGS.
- USGS, Monthly Streamflow Statistics for California, January 23, 2003
http://waterdata.usgs.gov/ca/nwis/monthly/?site_no=11179000&agency_cd=USGS.
- Walters, R.A. 1982. Low-Frequency Variations in Sea Level and Currents in South San Francisco Bay. *Journal of Physical Oceanography*. 12: 658-668.
- Walters, R.A., et al. 1985. Time scales of circulation and mixing processes of San Francisco Bay waters, *Hydrobiologia*, 129, 13-36.
- Wang, J.C.S. 1986. Fishes of the Sacramento-San Joaquin estuary and adjacent waters, California: a guide to the early life histories. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary. Technical Rept. 9. January 1986.
- Warnock, N., G.W. Page, M. Ruhlen, N. Nur, J.T. Takekawa, and J.T. Hanson. 2002. Management and conservation of San Francisco Bay salt ponds: effects of pond salinity, area, tide, and season on Pacific Flyway waterbirds. *Waterbirds* 25 (Special Publication 2):79-92.
- Wetland Research Associates, Inc. 2000. Five-year Re-evaluation Report of Cargill Salt Company’s Implementation of Best Management Practices and Special Conditions During Dredge Lock Access and Levee Maintenance Activities: 1995-1999.
- Wetlands Research Associates, Inc (WRA). 1994. Draft Environmental Assessment: Cargill Salt Maintenance Activities. San Francisco Bay Conservation and Development Commission. San Francisco, CA.
- Wilcox, C. 2003. Effects of Initial Stewardship Plan (ISP) for South Bay Salt Ponds on Western Snowy Plover and California Least Tern. Letter to James Browning (USFWS, Sacramento Office) dated August 26, 2003.
- Wild, P.W. 1969. Macrofauna of Plummer Creek of San Francisco Bay collected by a specially designed trap. Master of Arts thesis. San Jose State College. January.
- Williams, D. 1986. Mammalian Species of Special Concern. Wildlife Mgt. Div. Admin. Report 86-1, Calif. Dept. of Fish and Game, Sacramento.

- Williams, D.F. 1986. *Mammalian species of special concern in California*. (Wildlife Management Division Administrative Report 86-1.) Sacramento, CA: California Department of Fish and Game, Wildlife Management Division.
- Williams, G.D. and J.S. Desmond. 2001. Restoring assemblages of invertebrates and fishes. In J.B. Zedler (ed.), *Handbook for restoring tidal wetlands*. New York: CRC Press.
- Wood, M.W. 1883. *History of Alameda County*. Wood Publishers, Oakland, California.
- Woods, E.M. 1984. Survey of fishes utilizing a marsh restoration site in San Francisco Bay. Master of Arts thesis. San Francisco State University. December.
- Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White, eds. 1990. California's Wildlife. Volume III: Mammals. California Department of Fish and Game, Sacramento.
- Zhang, G.H., M.H. Hu, Y.P. Huang, and P.J. Harrison. 1990. Se uptake and accumulation in marine phytoplankton and transfer of Se to the clam *Puditapes philippinarum*. *Mar. Environ. Res.* 30: 179-190

Websites:

- Salt Institute: www.saltinstitute.org
- Cargill Inc.: www.cargillsalt.com/sfbay
- USGS: <http://waterdata.usgs.gov/ca/nwis/monthly/>

Personal contacts:

- Johnson, Lori. 2003. Cargill Salt, MN. Personal communication with Keith Prior, Life Science!, on September 29.