

Optimizing Island Nesting Habitat for Waterbirds Breeding in Wetlands of San Francisco Bay



Alex Hartman, Josh Ackerman, and Mark Herzog

U.S. Geological Survey, Western Ecological Research Center, Dixon Field Station, Dixon, California

John Takekawa

U.S. Geological Survey, Western Ecological Research Center, San Francisco Estuary Field Station, Vallejo, California

Breeding Waterbirds of San Francisco Bay

- 4,000 American Avocets
- 1,000 Black-necked Stilts
- 3,000 Forster's Terns
- 50,000 California Gulls


Other species:

- Caspian Terns
- Double-crested Cormorants
- Black Skimmers
- Snowy Plovers
- California Least Terns
- Waterfowl
- Songbirds
- Rails






Former salt ponds as breeding habitat






Most Nests Are On Islands





South Bay Salt Pond Restoration Project





- Where should nesting islands be built?
 - How many islands should be built in a wetland?
 - How big, and what shape should islands be?
 - Island topography
 - Elevation
 - Distance to water
 - Slope
 - Aspect



Historic nesting data 2005 - 2013

Linear mixed models analyses: nest abundance, nest success


Wetland scale (22 ponds)	Island scale (100 islands)
1) Species	1) Species
2) Year	2) Year
3) Wetland area	3) Island area
4) Number of nesting islands	4) Island shape
5) Distance to SF Bay	5) Distance to SF Bay
6) Total island area	6) Distance to levee





7) Island area: Wetland area

Nest abundance greatest in wetlands close to and far from SF Bay







Nest abundance on islands greatest...



On islands close to SF Bay







On linear vs. rounded islands


On islands further from pond levees






Nest success greater in wetlands close to SF Bay, and on intermediate-sized wetlands







Nest success greater on islands close to SF Bay and on islands 100-200m from the surrounding wetland levee



Distance to levee (m)



Historic nesting data 2005 - 2013

Linear mixed models analyses: nest abundance, nest success

Wetland scale (22 ponds)	Island scale (100 islands)
1) Species	1) Species
2) Year	2) Year
3) Wetland area	3) Island area
4) Number of nesting islands	4) Island shape
5) Distance to SF Bay	5) Distance to SF Bay
6) Total island area	6) Distance to levee





7) Island area: Wetland area

- Where should nesting islands be built?
 - Locate islands near (<1km) SF Bay
 - Locate islands 100-200m from pond levees
- How many islands should be built in a wetland?
 - Construct 3-5 islands within multiple wetlands
 - How big, and what shape should islands be?
 - Construct relatively small (0.05-0.10 ha) and linear islands
 - Eg. 50m by 10m or 100m by 10m



- Where should nesting islands be built?
 - Locate islands near (<1km) SF Bay
 - Locate islands 100-200m from pond levees
 - How many islands should be built in a wetland?
 - Construct 3-5 islands within multiple wetlands
 - How big, and what shape should islands be?
 - Construct relatively small (0.05-0.10 ha) and linear islands
 - Eg. 50m by 10m or 100m by 10m
 - Island topography
 - Elevation
 - Distance to water
 - Slope
 - **Aspect**




Island Topography 2011-2012

- Real-time kinematic (RTK) GPS (~3cm accuracy)
- Resource Selection Probability Functions: Logistic Regression

Island-patch scale (24 islands)


- 1) Species
- 2) Year
- 3) Elevation
- 4) Slope
- 5) Aspect (direction of the slope)
- 6) Distance to water





American avocet nesting probability








Forster's tern nesting probability







- Where should nesting islands be built?
 - Locate islands near (<1km) SF Bay
 - Locate islands 100-200m from pond levees
 - How many islands should be built in a wetland?
 - Construct 3-5 islands within multiple wetlands
 - How big, and what shape should islands be?
 - Construct relatively small (0.05-0.10 ha) and linear islands
 - Eg. 50m by 10m or 100m by 10m
- Elevation: 0.5 1.5m above the water surface Island topography
 - Distance to water: Within 10m of the water's edge
 - Slope: Mosaic of steep (avocets) and flat (terns)

 - Aspect: South-facing, East-West linear islands



- Where should nesting islands be built?
 - Locate islands near (<1km) SF Bay
 - Locate islands 100-200m from pond levees
 - How many islands should be built in a wetland?
 - Construct 3-5 islands within multiple wetlands
 - How big, and what shape should islands be?
 - Construct relatively small (0.05-0.10 ha) and linear islands
 - Eg. 50m by 10m or 100m by 10m
- Elevation: 0.5 1.5m above the water surface Island topography
 - Distance to water: Within 10m of the water's edge
 - Slope: Mosaic of steep (avocets) and flat (terns)
 - Aspect: South-facing, East-West linear islands
 - Vegetation: Patches of 1) dense, short vegetation, and 2) bare ground



Acknowledgments

Funding

- Resources Legacy Fund
- California State Coastal Conservancy
- CALFED Ecosystem Restoration Program
- US Geological Survey



Support

- Don Edwards San Francisco Bay National Wildlife Refuge
- South Bay Salt Pond Restoration Project
- Eden Landing Ecological Reserve
- Napa-Sonoma Marshes Wildlife Area
- San Francisco Bay Bird Observatory

Field technicians

- T. Owens, T. Watts, J. Barr, K. Boysen, S. Flaherty, J. LaCoss
- N. Hill, E. Nass, N. Roach, K. Sawyer, C. Yabut



